


Fig. 1.



MW _{cal}	1813	1777	1939	3230	4720
MW _{exp}	1812	1777	1941	3230	4720

A




Fig. 3.

B




Fig. 4.

	1	
2	3	4
5	6	7
8	9	10
11	12	13




Fig. 5.




Fig. 6.

Postantibiotic Effect of PR-39 and PR-26




Fig. 7.

Phagocytic Susceptibility of Salmonella after Exposure to PR-26 & PR-39




Fig. 8.

Chemotaxis of Porcine Neutrophils by
PR-39 and It's Analogs




Fig. 9.

Cytotoxicity of PR-26 & PR-39
in IEC-6 Cells




Fig. 11.




Fig. 10.

Effect of PR-26 on an Oral Challenge
with *Salmonella typhimurium*




Fig. 12.

Survival of Mice Challenged i.p. with *Salmonella typhimurium*




Fig. 13.

Effect of PR-26 on an Oral Challenge with *Salmonella typhimurium*




Fig. 14.




Fig. 15.




Fig. 16.




Fig. 17.




Fig. 18.




Fig. 19.

bioRxiv preprint doi: <https://doi.org/10.1101/000000>; this version posted January 1, 2015. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.




Fig. 20.




Fig. 21.

Fig. 22.